



HAIBAO EV

PROFESSIONAL MANUFACTURING FACTORIES
FOR ELECTRIC VEHICLES AND GOLF CARTS
15 YEARS OF PRODUCTION EXPERIENCE



SHANDONG BUS NEW ENERGY VEHICLE CO., LTD.



COMPANY PROFILE

Shandong Bus New Energy Vehicle Co., Ltd. is affiliated with Shandong Haibao Locomotive Group. The group boasts six major manufacturing bases, including Shandong Haibao Industrial Park, Rizhao High-end Golf Factory, Rizhao Smart RV Factory, Jiangsu Haifeng Factory, Jiangsu Haijin Factory, and Tianjin Haitian Factory, with a total workforce of over 5,000 employees, among which there are more than 300 engineers. Located in the Economic Development Zone of Yinan County, Linyi City, Shandong Province - China's largest commercial and logistics city, the company leverages its geographical advantage adjacent to Qingdao and solid industrial foundation to delve into the electric vehicle industry for 15 years. As the pioneer of canopy vehicles in China, it focuses on the R&D, manufacturing, sales, service, and integrated foreign trade operation of new energy vehicles. As a core enterprise under the group, the company has a total investment of 1.2 billion yuan, covering an area of over 1,000 mu (about 66.67 hectares), with a total construction area of 300,000 square meters and an annual production capacity of 1 million new energy vehicles. Its products cover three major series: electric vehicles, golf carts, and RVs. The market spans over 5,000 stores nationwide and is exported to more than 50 countries globally. It is the only brand in China's new energy vehicle industry that possesses full-category production qualifications (with the main brand "Haibao").

Taking technological innovation as its core competitiveness, the company deeply applies four advanced processes of stamping, welding, painting, and final assembly in production manufacturing. It has also invested 30 million yuan to build the industry's largest and most advanced intelligent testing center, forming a standardized, technological, and cutting-edge quality control system, committed to creating high-end electric vehicle products. With outstanding product quality and large-scale production capacity, the company has become one of China's largest professional new energy vehicle production bases, providing OEM cooperation services for dozens of domestic and foreign trade companies and becoming their most important partner. In its global layout, the company has obtained the national road motor vehicle production enterprise access, CCC certification, ISO9001 international quality management system certification, EU EEC certification, Sullivan certification, and "World Manufacturing Factory" qualification certification. It deepens ODM customized development and OBM brand cooperation models. Adhering to the independent innovation strategy and mastering core patent technologies, the company empowers global partners with intelligent manufacturing, promotes Chinese new energy technology to the world, and shares the future of green travel with global users.

QUALIFICATION CERTIFICATE

This block contains seven certificates:

- Market Status Confirmation Certificate:** 2023 Global Canopy Vehicle Market Sales First.
- Design Patent Certificate (4):** For various electric vehicle components like the motor and chassis.
- Utility Patent Certificate (4):** For various electric vehicle components like the motor and chassis.
- Management System Certification (2):** ISO 9001:2015 and GB/T 19001-2016/ISO 9001:2015.

高新技术企业证书
 企业名称: 山东巴士新能源车业有限公司
 证书编号: GR202437000025
 发证时间: 2024年12月7日
 有效期: 三年
 批准机关: 山东省科技厅

世界制造厂识别代号证书
 证书编号 (No.): 28786
 发证日期 (Date): 2024-05-08
 根据国家发展和改革委员会第66号公告《车辆识别代号管理办法(试行)》的规定, 经审核颁发此证。
 制造厂名称: 山东巴士新能源车业有限公司
 Name: Shandong Bus New Energy Vehicle Industry CO.,LTD.
 地址: 276300 山东省临沂市沂南县经济开发区海泊河大道与沭河路交汇处西北角
 Address: 276300 The northwest corner of intersection of HaiPoHe Road and MuHe Road, Economic Development Zone, Yinan County, Linyi, Shandong
 世界制造厂识别代号: LPA
 WMI Code: LPA
 车辆类型: 摩托车, 高尔夫球车
 Type of Vehicle: Motorcycle/Golf Car
 车辆品牌: 金迪, 海宝, 华迪, 捷能, 金豆, 哪美, 西星
 Mark of Vehicle: JINDI, HAIHAO, HUADI, JIENENG, JINLI, NAIMI, XIXING
 证书有效日期: 2022-04-21 至 2027-04-21
 Effective Date of Certificate: 2022-04-21 - 2027-04-21

山东知名品牌
 山东巴士新能源车业有限公司:
 你单位的 海宝电动三轮摩托车, 认定为
 2021年山东知名品牌, 特发此证。
 山东省品牌建设促进会
 2021年12月20日

Open Series



L1-B

■ Vehicle Dimensions: 1300*300*650mm
 ■ Motor : 350W
 ■ Max Speed : 35-40KM/H
 ■ Battery : LAB48V20AH
 ■ 40HQ Loading quantity : SKD250
 ■ Braking System : Front Drum brake
 ■ Tire size : 14-2.5
 ■ Max range : 60KM



L1-D

■ Vehicle Dimensions: 1450*300*750mm
 ■ Motor : 350W
 ■ Max Speed : 35-40KM/H
 ■ Battery : LAB48V20AH
 ■ 40HQ Loading quantity : SKD250
 ■ Braking System : Front Drum brake
 ■ Tire size : 14-2.5
 ■ Max range : 60KM



JN2

■ Vehicle Dimensions: 1550*320*750mm
 ■ Motor : 650W
 ■ Max Speed : 35-40KM/H
 ■ Battery : LAB60v20AH
 ■ 40HQ Loading quantity : SKD250
 ■ Braking System : Front disk brake
 ■ Tire size : 10-2.75
 ■ Max range : 60KM



D15

■ Vehicle Dimensions: 1530*760*1050mm
 ■ Max Motor : 350W
 ■ Max Speed : 32KM/H
 ■ Battery : LAB60V32AH
 ■ 40HQ Loading quantity : SKD102
 ■ Braking System : Drum brake
 ■ Tire size : 3.00-8
 ■ Max range : 40KM



D18

■ Vehicle Dimensions: 2000*830*1050mm
 ■ Motor : 500W
 ■ Max Speed : 32KM/H
 ■ Battery : LAB60V32AH
 ■ 40HQ Loading quantity : SKD69
 ■ Braking System : Drum brake
 ■ Tire size : 3.00-8
 ■ Max range : 40KM



KL1

■ Vehicle Dimensions: 1855*900*1630mm
 ■ Motor : 500W/1000W
 ■ Max Speed : 35KM/H
 ■ Battery : LAB60V45AH/LAB72V45AH
 ■ 40HQ Loading quantity : SKD24
 ■ Braking System : Drum brake
 ■ Tire size : 3.50-8 Tubeless
 ■ Max range : 60KM-70KM



KL2

■ Vehicle Dimensions: 2165*983*1635mm
 ■ Max Motor : 1000W/2000W
 ■ Max Speed : 35-40KM/H
 ■ Battery : LAB72V58AH/LiB60V80AH
 ■ 40HQ Loading quantity : SKD22
 ■ Braking System : Drum brake
 ■ Tire size : 3.50-10 Tubeless
 ■ Max range : LAB70-85KM/LiB100-120KM



QT2 Pro

■ Vehicle Dimensions: 2160*1050*1645mm
 ■ Motor : 1000W/2000W
 ■ Max Speed : 35-40KM/H
 ■ Battery : LAB72V58AH/Li-ion60V80AH
 ■ 40HQ Loading quantity : 14
 ■ Braking System : Disc brake
 ■ Tire size : 3.50-10 Tubeless
 ■ Max range : LAB70KM/Li-ion100KM



MD-without door

■ Vehicle Dimensions: 2245*1150*1630mm
 ■ Motor : 1500W-3000W
 ■ Max Speed: 1.5KW:35KM 3KW:50KM
 ■ Battery : LAB60V58AH/ Li-ion60V80AH
 ■ 40HQ Loading quantity : 14
 ■ Braking System : Disc brake
 ■ Tire size : F:130/60R 13 R:135/70R 12
 ■ Max range : LAB70KM/Li-ion100KM



HM2

■ Vehicle Dimensions: 2190*1140*1600mm
 ■ Max Motor : 1000W/1500W
 ■ Max Speed : 35KM/H
 ■ Battery : LAB60V58AH
 ■ 40HQ Loading quantity : 16
 ■ Braking System : Drum brake
 ■ Tire size : 3.50-10 Tubeless
 ■ Max range : 60KM-85KM



HD pro

■ Vehicle Dimensions: 2230*1200*1645mm
 ■ Motor : 1000W/1500W
 ■ Max Speed : 37KM/H
 ■ Battery : LAB60V80AH
 ■ 40HQ Loading quantity : 12
 ■ Braking System : Disc brake
 ■ Tire size : 4.00-10 Tubeless
 ■ Max range : 85-100KM



MD

■ Vehicle Dimensions: 2245*1150*1630mm
 ■ Motor : 1500W/3000W
 ■ Max Speed: 1.5KW:35KM 3KW:50KM
 ■ Battery : LAB60V58AH/LiB60V80AH
 ■ 40HQ Loading quantity : 14
 ■ Braking System : Disc brake
 ■ Tire size : F:130/60R 13 R:135/70R 12
 ■ Max range : LAB70KM/LiB100KM

Caravan Series



LB6 Pro

■ Vehicle Dimensions: 2525*1195*1725mm ■ 40HQ Loading quantity : 14
 ■ Motor : 1500W/1800W ■ Braking System : front disc brake
 ■ Max Speed : 35-45KM/H ■ Tire size : 4.00-10
 ■ Battery : LAB60V100AH/LiB60V100AH ■ Max range : 115-165KM



LB6 Max

■ Vehicle Dimensions: 2685*1210*1670mm ■ 40HQ Loading quantity : 10/SKD12
 ■ Motor : 1500W/1800W ■ Braking System : front disc brake
 ■ Max Speed : 35-45KM/H ■ Tire size : 4.00-10
 ■ Battery : LAB60V100AH/LiB60V100AH ■ Max range : 115-165KM



LY

■ Vehicle Dimensions: 2600*1353*1645mm ■ 40HQ Loading quantity : 8
 ■ Motor : 1500WD/2000WD/3000W ■ Braking System : F&R disc brake
 ■ Max Speed : 45-50KM/H ■ Tire size : F:4.50-10 R:145/70-12
 ■ Battery : LAB60V100AH/LiB60V80AH ■ Max range : 65-100KM



XC-EEC

■ Vehicle Dimensions: 2495*1290*1660mm ■ 40HQ Loading quantity : 9
 ■ Motor : 3000W ■ Braking System : Disc brake
 ■ Max Speed : 25KM/H 45KM/H ■ Tire size : 125/65-12 Specially made
 ■ Battery : Li-ion72V105AH ■ Max range : 118KM



CM-EEC

■ Vehicle Dimensions: 2500*1290*1675mm ■ 40HQ Loading quantity : 9
 ■ Motor : 3000W ■ Braking System : Disc brake
 ■ Max Speed : 25KM/H ; 45KM/H ■ Tire size : 4.00-10
 ■ Battery : LAB60V58AH ■ Max range : 70KM



KP-EEC

■ Vehicle Dimensions: 2495*1290*1600mm ■ 40HQ Loading quantity : 9
 ■ Motor : 3000W ■ Braking System : Disc brake
 ■ Max Speed : 25KM/H;45KM/H ■ Tire size : 125/65-12 Special
 ■ Battery : LiB72V105AH ■ Max range : 118KM



RC

■ Vehicle Dimensions: 3030*1560*1630mm ■ 40HQ Loading quantity : 5
 ■ Motor : 5000W ■ Braking System : Disc brake
 ■ Speed : 50KM/H ■ Tire size : 155/70R12
 ■ Battery : LiB72V120AH ■ Max range : 80-120KM



LD2

■ Vehicle Dimensions: 3030*1560*1630mm ■ 40HQ Loading quantity : 4
 ■ Motor : 3000W ■ Braking System : Disc brake
 ■ Max Speed : 42KM-45KM ■ Tire size : 155/70R12
 ■ Battery : LiB72V120AH ■ Max range : 80-120KM



MG

■ Vehicle Dimensions: 2500x1150x1630mm ■ 40HQ Loading quantity : 14
 ■ Motor : 1500W-3000W ■ Braking System : Disc brake
 ■ Max Speed: 1.5KW:35KM/H;3KW:50KM/H ■ Tire size : 4.50-10
 ■ Battery : LAB60V58AH/Li-ion60V80AH ■ Max range : LAB70KM/Li-ion100KM



LL

■ Vehicle Dimensions: 2903*1450*1610mm ■ 40HQ Loading quantity : 5
 ■ Motor : 2000W/3000W ■ Braking System : Disc brake
 ■ Speed : 45KM/H ■ Tire size : F&R145/70-12
 ■ Battery : LiB72V120AH ■ Max range : 80-120KM



RJ

■ Vehicle Dimensions: 3040x1560x1645mm ■ 40HQ Loading quantity : 4
 ■ Motor : 5000W ■ Braking System : Disc brake
 ■ Max Speed : 50KM/H ■ Tire size : 155/65R13
 ■ Battery : LiB72V140AH ■ Max range : 80-120KM



RTL/RTR

■ Vehicle Dimensions: 3350*1600*1620mm ■ 40HQ Loading quantity : 4
 ■ Motor : 5000W/7500W ■ Braking System : Disc brake
 ■ Max Speed : 50KM/H; 70KM/H ■ Tire size : 165/70R13
 ■ Battery : LiB72V140AH / LiB96V150AH ■ Max range: 80-120KM

Freight Series



F110

■ Vehicle Dimensions: 2530*960*1130mm ■ 40HQ Loading quantity : CKD70/SKD60
 ■ Motor : 800WD ■ Braking System : Drum brake
 ■ Max Speed : 28KM/H ■ Tire size : F:3.00-12 R:3.00-12
 ■ Battery : LAB72V32AH ■ Max range : 50KM



B01

■ Vehicle Dimensions: 3000*1300*1730mm ■ 40HQ Loading quantity : CKD45/SKD35
 ■ Motor : 1500WD ■ Braking System : Drum brake
 ■ Max Speed : 35KM/H ■ Tire size : F : 4.00-12 R : 4.50-12
 ■ Battery : 60V100AH ■ Max range : 110KM



K01-B

■ Vehicle Dimensions: 2950*1250*1880mm ■ 40HQ Loading quantity : SKD27
 ■ Motor : 3000W ■ Braking System: Oil drum brake
 ■ Max Speed : 50KM/H ■ Tire size : 125/65-12
 ■ Battery : LAB60V150AH/LiB60V150AH ■ Max range : 110KM-130KM



F150-2

■ Vehicle Dimensions: 2955*1120*1350mm ■ 40HQ Loading quantity : CKD65/SKD50
 ■ Motor : 1000WD ■ Braking System : Drum brake
 ■ Max Speed : 38KM/H ■ Tire size : F:3.75-12 R:4.00-12
 ■ Battery : LAB60V80AH ■ Max range : 110KM



B01 Express vehicle

■ Vehicle Dimensions: 3000*1300*1730mm ■ 40HQ Loading quantity : CKD40/SKD30
 ■ Motor : 1500WD ■ Braking System : Drum brake
 ■ Max Speed : 35KM/H ■ Tire size : F : 4.00-12 R : 4.50-12
 ■ Battery : 60V100AH ■ Max range : 110KM



K03

■ Vehicle Dimensions: 2800*970*1790mm ■ 40HQ Loading quantity : SKD30
 ■ Motor : 1500WD ■ Braking System: drum brake
 ■ Max Speed : 35KM/H ■ Tire size : F:3.75-12 R:4.00-12
 ■ Battery : LAB 60V100AH ■ Max range : 90-100KM



F160

■ Vehicle Dimensions: 3100*1800*1370mm ■ 40HQ Loading quantity : CKD55/SKD50
 ■ Motor : 1500WD ■ Braking System : Drum brake
 ■ Max Speed : 38KM/H ■ Tire size : F : 3.75-12 R : 4.00-12
 ■ Battery : LAB60V80AH ■ Max range : 110KM



B01-Sell vehicle

■ Vehicle Dimensions: 3000*1300*1730mm ■ 40HQ Loading quantity : CKD40/SKD30
 ■ Motor : 1500WD ■ Braking System : Drum brake
 ■ Max Speed : 35KM/H ■ Tire size : F : 4.00-12 R : 4.50-12
 ■ Battery : 60V100AH ■ Max range : 110KM



WK300

■ Vehicle Dimensions: 3085*1310*1630mm ■ 40HQ Loading quantity : 5
 ■ Motor : 2000WD ■ Braking System : F:Disc R:Drum
 ■ Max Speed : 35KM/H ■ Tire size : 145/70-12 Tubeless
 ■ Battery : LAB 60V120AH ■ Max range : LAB 110-120KM



F180

■ Vehicle Dimensions: 3330*1380*1360mm ■ 40HQ Loading quantity : CKD40/SKD35
 ■ Max Motor : 1500WD ■ Braking System : Drum brake
 ■ Max Speed : 38KM/H ■ Tire size : F : 4.00-12 R : 4.50-12
 ■ Battery : 72V100AH ■ Max range : 120KM



B1(Cold chain)

■ Vehicle Dimensions: 3000*1300*1730mm ■ 40HQ Loading quantity : CKD30/SKD25
 ■ Motor : 1500WD ■ Braking System : Drum brake
 ■ Max Speed : 35KM/H ■ Tire size : 4.00-12
 ■ Battery : 60V100AH ■ Max range : 110KM



WK600

■ Vehicle Dimensions: 3495*1310*1630mm ■ 40HQ Loading quantity : 4
 ■ Motor : 2000WD ■ Braking System : F: Disc R: Drum
 ■ Max Speed : 40K-50KM/H ■ Tire size : 145/70-12 Tubeless
 ■ Battery : LiB60V100AH ■ Max range : LiB110-120KM



F12-4

- Vehicle Dimensions: 3045*1400*2030mm
- Motor : 6300W
- Max Speed : 40-50KM/H
- Battery : Li-ion72V105AH
- 40HQ Loading quantity : 16
- Braking System : Disc brake
- Tire size : 225/50R14
- Max range :110-120KM



SC-14

- Vehicle Dimensions: 5280*1580*2100mm
- Motor : 7500W
- Max Speed : 40KM/H
- Battery : LAB72V200AH
- 40HQ Loading quantity : 2
- Braking System : F:Disc R:Drum
- Tire size : 165/70R13
- Max range : 80KM



F11-2 +2

- Vehicle Dimensions: 2900*1400*2030mm
- Motor : 5000W
- Max Speed : 40-50KM/H
- Battery : Li-ion72V105AH
- 40HQ Loading quantity : 18
- Braking System : Disc brake
- Tire size : 225/50R14
- Max range : 80-90KM



DT411

- Vehicle Dimensions: 5350*2330*2555mm
- Max Speed : 100 KM/H
- 40HQ Loading quantity : 2




F11-4 +2

- Vehicle Dimensions: 3800*1415*2020mm
- Motor : 6300W
- Max Speed : 40-50KM/H
- Battery : Li-ion72V105AH
- 40HQ Loading quantity : 15
- Braking System : Disc brake
- Tire size : 225/50R14
- Max range : 110-120KM



TAITANNUOSI

- Vehicle Dimensions: 5998*2460*3390mm
- Motor : In-line 4-cylinder turbocharged engine
- Max Speed : 120 KM/H
- Total mass : 6500 Kg
- Tire size:225/75R16LT 12PR



ORIGINAL EV MANUFACTURER CUSTOMIZATION AVAILABLE



◎ 冲压Stamping

◎ 焊接Welding

◎ 涂装Painting

◎ 总装Assembly



FACEBOOK



LEARN MORE



YOUTOBE



TIKTOK

📍 Add : Northwest Corner Of The Intersection Of Aokema Avenue And Yanhe Road, Yinan Economic Development Zone, Linyi City, Shandong Province

🌐 Web : [Https://haibaointernational.en.alibaba.com](https://haibaointernational.en.alibaba.com)
[Https://www.haibaoev.com](https://www.haibaoev.com)
[Https://www.haibaobike.com](https://www.haibaobike.com)
[Https://www.haibaoauto.com](https://www.haibaoauto.com)

✉ Email: Admin@haibaoev.com

📞 TEL/WhatsApp: +86 15857925555